

		oolants - Usage Chart		
	(Model Years 2018 an	•		
		Model Year		
Vehicle	2018	2019	2020	
FORD				
C-MAX Hybrid	DY/O	N/A	N/A	
Econoline (E-Series)	DY/O	DY / O (prior to 7/16/18)	DY	
		DY (from 7/16/18)		
EcoSport	DY/O	DY / O / v / v 7 / O / CO	DY / O	
Edge	DY/O	DY / O (prior to 7/8/19)	DY	
		DY (from 7/8/19)		
Escape (including Hybrid)	DY/O DY/O		DY / O (prior to 1/2/20) DY (from 1/2/20)	
Pomodition	DY / O (prior to 7/9/18)	DV	DV.	
Expedition	DY (from 7/9/18)	DY	DY	
Explorer (including Hybrid)	DY/O	DY/O	DY	
F-150 (including Raptor)	DY/O	DY / O (prior to 1/1/19)	DY	
		DY (from 1/1/19)	51	
F-250 - F-550	DY / O (prior to 7/9/18)	DY / O (prior to 7/9/18)	DY	
	DY (from 7/9/18)	DY (from 7/9/18)		
F-650 - F-750	DY/O	DY / O (prior to 7/16/18) DY (from 7/16/18)	DY	
Fiesta	DY/O	DY (110111 // 10/18)	N/A	
		DY / O (prior to 7/8/19)		
Flex	DY/O	DY (from 7/8/19)	N/A	
Focus / Focus Electric	DY/O	N/A	N/A	
Fusion (including Hybrid)	DY/O	DY/O	DY / O (prior to 1/6/20) DY (from 1/6/20)	
			DY / O (prior to 2/20/20)	
GT	DY/O	DY/O	DY (from 2/20/20)	
Motorhome F-53 / F-59	DY/O	DY/O	DY	
Mustang (including Shelby GT350 and Shelby GT 500)	DY/O	DY/O	DY / O (prior to 1/2/20)	
		DV / O / = rice to 7/9 /10)	DY (from 1/2/20)	
Ranger	N/A	DY / O (prior to 7/8/19) DY (from 7/8/19)	DY	
Taurus	DY/O	DY/O	N/A	
T14	DV / O	DY / O (prior to 1/1/19)	DV.	
Transit	DY/O	DY (from 1/1/19)	DY	
Transit Connect	DY/O	DY/O	DY/O	
LINCOLN				
Aviator (including Hybrid)	N/A	N/A	DY	
Continental	DY/O	DY/O	DY / O (prior to 1/2/20)	
			DY (from 1/2/20)	
Corsair	N/A	N/A	DY / O (prior to 1/2/20) DY (from 1/2/20)	
мкс	DY/O	DY/O	N/A	
мкт	DY/O	DY / O (prior to 7/8/19)	N/A	
		DY (from 7/8/19)		
MKX	DY/O	N/A	N/A	
MKZ (including Hybrid)	DY/O	DY/O	DY / O (prior to 1/6/20) DY (from 1/6/20)	
Nautilus	N/A	DY / O (prior to 7/8/19)	DY	
	DY / O (prior to 7/9/18)	DY (from 7/8/19)		
Navigator	DY (from 7/9/18)	DY	DY	

Notes:

The engine antifreeze/coolant usage noted in the chart above applies to all engine types (e.g., gasoline and diesel) available for a particular vehicle.

DY / O = Either yellow-colored engine coolant approved to Ford specification WSS-M97B57-A1 or WSS-M97B57-A2 (Motorcraft® Yellow Antifreeze/Coolant), orange-colored engine coolant approved to Ford specification WSS-M97B44-D or WSS-M97B44-D2 (Motorcraft® Orange Antifreeze/Coolant), or a combination of both engine coolants

 $DY = Yellow-colored \ engine \ coolant \ approved \ to \ Ford \ specification \ WSS-M97B57-A1 \ or \ WSS-M97B57-A2 \ (Motorcraft^* \ Yellow \ Antifreeze/Coolant)$

For more service information on using Motorcraft® Yellow Antifreeze/Coolant with/in place of Motorcraft® Orange Antifreeze/Coolant, please visit the FCSD Chemicals and Lubricants U.S. Catalog.

Revised 3/11/2020

Quick Reference Charts 1



Motorcraft® Engine Antifreeze/Coolants - Usage Chart (Model Years prior to 2018) Model Year(s) Pre-1999 1999-2001 2004-2008 Vehicle 2002 2003 2009 2010 2011 2012 2013-2017 **FORD** C-MAX Hvbrid N/A N/A N/A N/A Ν/Δ N/A DY / O N/A N/A N/A G (prior to 7/15/02) Crown Victoria G G G Υ Υ Υ N/A N/A Y (from 7/15/02) Y (2013 - 2016 and G (prior to 1/7/02) 2017 prior to 6/24/16) Econoline (E-Series) G G ٧ ٧ Υ Υ Y (from 1/7/02) (2017 from 7/11/16) Y (prior to 1/19/09) (prior to 7/11/11) N/A N/A DG DY / O DY / O Edge N/A N/A DG (from 1/19/09) Y (prior to 11/16/10) G (prior to 7/15/02) Escape (including N/A G DY/O DY/O Hybrid) DY / O (from 11/16/10) G (prior to 7/15/02) G G Υ N/A N/A N/A N/A **Escort** N/A N/A Y (from 7/15/02) N/A G N/A N/A N/A N/A Excursion N/A G (prior to 7/15/02) Y (prior to 2/22/10) G G G Υ DY/O DY/O DY/O Expedition Y (from 7/15/02) DY / O (from 2/22/10) Explorer, Explorer G (prior to 7/15/02) (prior to 7/11/11) Sport, and Explorer G G DY/O DY/O Sport Trac Y (from 7/15/02) DY / O (from 7. G (prior to 2/4/02) F-150 - F-550 G G Υ Υ Υ N/A N/A N/A N/A (Cuautitlan Plant) Y (from 2/4/02) F-250 - F-550 G G ٧ ν ٧ ٧ (Kentucky Truck DY / O DY / O DY / O Plant) G (prior to 7/15/02) F-150 - F-550 (All G Υ Υ DY/O DY/O DY/O other plants) Y (from 7/15/02) DV /O Fiesta N/A N/A N/A N/A N/A N/A N/A DV / O DY/O (prior to (prior to 7/11/11) Flex N/A N/A DG DG DY / O N/A N/A N/A DG (from 1/19/09) DY / O (from 7/11/11) N/A N/A N/A Freestar N/A N/A N/A N/A N/A N/A G (prior to 7/15/02) Υ Focus (including RS) N/A G Υ Υ Υ Υ DY / O DY / O Y (from 7/15/02) DY/O **Focus Electric** N/A N/A N/A N/A DY/O N/A N/A N/A N/A Y (prior to DG (prior to 8/15/11) Fusion (including N/A N/A N/A N/A Υ DG DY/O Hybrid) DG (from 7/6/09) DY / O (from 8/15/11) Y (2013 - 2014) Motorhome F-53/ G Υ Υ Υ Υ Υ Υ Υ DY / O (2015 - 2017) G (prior to 7/15/02) Mustang (including Υ DY / O Cobra, Shelby GT500, G G DY / O DY / O Y (from 7/15/02) Boss 302, etc.) G G N/A N/A Ranger Ranger Electric N/A G N/A N/A N/A N/A N/A N/A N/A Y (prior to 5/18/09) DG (prior to 7/11/11) G (prior to 7/15/02) G G DG DY/O DY/O Taurus DG (from 5/18/09) Y (from 7/15/02) (from 7/11/11) G (prior to 7/15/02) Thunderbird N/A N/A Υ N/A N/A N/A N/A N/A Y (from 7/15/02) N/A N/A N/A N/A DY/O DY/O DY/O DY/O **Transit Connect** N/A N/A G (prior to 7/15/02) Windstar G G G N/A N/A N/A N/A N/A N/A All other vehicles not G G N/A N/A N/A N/A N/A DY/O otherwise noted

Revised 3/11/2020



Motorcraft® Engine Antifreeze/Coolants - Usage Chart (Model Years prior to 2018)										
	Model Year(s)									
Vehicle	Pre- 1999	1999- 2001	2002	2003	2004- 2008	2009	2010	2011	2012	2013-2017
LINCOLN										
Aviator	N/A	N/A	N/A	Υ	Υ	N/A	N/A	N/A	N/A	N/A
Blackwood	N/A	N/A	G (prior to 7/15/02) Y (from 7/15/02)	Υ	N/A	N/A	N/A	N/A	N/A	N/A
Continental	G	G	G (prior to 7/15/02) Y (from 7/15/02)	N/A	N/A	N/A	N/A	N/A	N/A	DY / O (2017)
LS	N/A	G	G (prior to 7/15/02) Y (from 7/15/02)	Υ	Υ	N/A	N/A	N/A	N/A	N/A
MKS	N/A	N/A	N/A	N/A	N/A	Y (prior to 5/18/09)	Y (prior to 5/18/09)	DG (prior to 7/11/11)	DY/O	DY/O
						DG (from 5/18/09)	DG (from 5/18/09)	DY / O (from 7/11/11)	2.70	
мкт	N/A	N/A	N/A	N/A	N/A	N/A	DG	DG	DG (prior to 7/11/11) DY / O (from 7/11/11)	DY/O
						Y (prior to 1/19/09)		DG (prior to 7/11/11)	D17 O (11011177117117	
MKX	N/A	N/A	N/A	N/A	Υ	DG (from 1/19/09)	DG	DY / O (from 7/11/11)	DY/O	DY/O
MKZ (including Hybrid)	N/A	N/A	N/A	N/A	Υ	Υ	Y (prior to 7/6/09) DG (from 7/6/09)	DG	DG (prior to 8/15/11) DY / O (from 8/15/11)	DY/O
Navigator	G	G	G	G (prior to 7/15/02) Y (from 7/15/02)	Υ	Y	Y (prior to 2/22/10) DY / O (from 2/22/10)	DY/O	DY/O	DY/O
Town Car	G	G	G	G (prior to 7/15/02) Y (from 7/15/02)	Υ	Υ	Υ	Υ	N/A	N/A
All other vehicles not otherwise noted	G	N/A	N/A	N/A	Υ	N/A	N/A	N/A	N/A	DY/O
MERCURY										
Cougar	G	DY/O	DY/O	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Grand Marquis	G	G	G	G (prior to 7/15/02) Y (from 7/15/02)	Υ	Y	Y	Y	N/A	N/A
Marauder	N/A	N/A	N/A	G (prior to 7/15/02) Y (from 7/15/02)	Υ	N/A	N/A	N/A	N/A	N/A
Mariner (including Hybrid)	N/A	N/A	N/A	N/A	Υ	Y	Y	Y (prior to 11/16/10) DY / O (from 11/16/10)	N/A	N/A
Milan (including Hybrid)	N/A	N/A	N/A	N/A	Υ	Y	Y (prior to 7/6/09) DG (from 7/6/09)	DG	N/A	N/A
Monterey	N/A	N/A	N/A	N/A	Υ	N/A	N/A	N/A	N/A	N/A
Mountaineer	G	G	G (prior to 7/15/02) Y (from 7/15/02)	Y	Υ	Υ	Y	N/A	N/A	N/A
Sable	G	G	G (prior to 7/15/02) Y (from 7/15/02)	Y	Υ	Y (prior to 5/18/09) DG (from 5/18/09)	N/A	N/A	N/A	N/A
All other vehicles not otherwise noted	G	G	G	N/A	Υ	N/A	N/A	N/A	N/A	N/A

Notes:

The engine antifreeze/coolant usage noted in the chart above applies to all engine types (e.g., gasoline and diesel) available for a particular vehicle.

G = Green-colored engine coolant approved to Ford specification ESE-M97B44-A (Motorcraft® Premium Antifreeze/Coolant)

DY / O = Either yellow-colored engine coolant approved to Ford specification WSS-M97B57-A1 or WSS-M97B57-A2 (Motorcraft® Yellow Antifreeze/Coolant), orange-colored engine coolant approved to Ford specification WSS-M97B44-D or WSS-M97B44-D2 (Motorcraft® Orange Antifreeze/Coolant), or a combination of both engine coolants

Y = Yellow-colored engine coolant approved to Ford specification WSS-M97B51-A1 (Motorcraft® Gold Antifreeze/Coolant)

DG = Dark green-colored engine coolant approved to Ford specification WSS-M97B55-A (Motorcraft® Specialty Green Engine Coolant)

For more service information on using Motorcraft® Yellow Antifreeze/Coolant with/in place of Motorcraft® Orange Antifreeze/Coolant, please visit the FCSD Chemicals and Lubricants U.S. Catalog.

Revised 3/11/2020

Quick Reference Charts 3



	Motorcraft [®]	Engine Cooling Syst	em Products - U	sage Information		
	Motorcraft® Premium Prediluted Antifreeze/Coolant (USA)	Motorcraft® Gold Prediluted Antifreeze/Coolant		Motorcraft® Orange Prediluted Antifreeze/Coolant	Motorcraft® Yellow Prediluted Antifreeze/Coolant	
Motorcraft® Engine Coolant Name	Motorcraft® Premium Concentrated Antifreeze/ Coolant	Motorcraft® Gold Concentrated Antifreeze/Coolant	Motorcraft® Specialty Green Engine Coolant (Concentrated)	Motorcraft® Orange Concentrated Antifreeze/Coolant	Motorcraft® Yellow Concentrated Antifreeze/Coolant	
	Prediluted: VC-5DIL and VC-5DIL-B (USA)	Prediluted: VC-7DIL-B and VC-7DIL-D (USA) CVC-7DIL-B2 (Canada)		Prediluted: VC-3DIL-B and VC-3DIL-BD (USA) CVC-3DIL-B (Canada)	Prediluted: VC-13DL-G (USA) CVC-13DL-G and CVC-13DL-P (Canada)	
Service Part Numbers	Concentrated: VC-5 (USA) CVC-5 (Canada)	Concentrated: VC-7-B and VC-7-D (USA) CVC-7-B2 (Canada)	VC-10-A2 (USA) / CVC-10-A (Canada)	Concentrated: VC-3-B and VC-3-D (USA) CVC-3-B2 (Canada)	Concentrated: VC-13-G (USA) CVC-13-G and CVC-13-P (Canada)	
Ford Specification	ESE-M97B44-A	WSS-M97B51-A1	WSS-M97B55-A	Prediluted: WSS-M97B44-D2 Concentrated: WSS-M97B44-D	Prediluted: WSS-M97B57-A2 Concentrated: WSS-M97B57-A1	
Use with the following products:			·		,	
Acustrip® 3-Way HD Antifreeze Coolant Test Kit, Rotunda part numbers 328-2050-62291 and 328-20503R	Yes, but for use <i>only</i> with diesel engine-equipped vehicles	Yes, but for use <i>only</i> with diesel engine-equipped vehicles	No	Yes, but use <i>only</i> as recommended to check coolant for nitrite contamination	Yes, but use <i>only</i> as recommended to check coolant for nitrite contamination	
Corrosion Protection (Test Kits) for Extended Life Coolant (ELC), Rotunda part number 328-R071-ELC	No	No	No	Yes, but for use <i>only</i> with the following vehicles: * 2011 - 2019 (built prior to 7/9/18) diesel engine-equipped F-Series Super Duty * 2016 - 2019 (built prior to 7/16/18) diesel engine-equipped F-650 and F-750	Yes, but <i>only</i> when mixed with Motorcraft® Orange Antifreeze/Coolant with the following vehicles: * 2011 - 2019 (built prior to 7/9/18) diesel engine-equipped F-Series Super Duty * 2016 - 2019 (built prior to 7/16/18) diesel engine-equipped F-650 and F-750	
VC-1 - Motorcraft® Premium Cooling System Flush	Yes	Yes	Yes	Yes	Yes	
VC-8 - Motorcraft® Diesel Cooling System Additive	Yes, but use <i>only</i> in diesel engine- equipped vehicles. Use <i>only</i> as recommended.	Yes, but use <i>only</i> in diesel engine-equipped vehicles. Use <i>only</i> as recommended.	No	No	No	
VC-9 - Motorcraft® Engine Cooling System Iron Cleaner (for industrial use <i>only</i>)	Yes, but use <i>only</i> when directed per the vehicle's Workshop Manual or a Technical Service Bulletin (TSB)	Yes, but use <i>only</i> when directed per the vehicle's Workshop Manual or a Technical Service Bulletin (TSB)	Yes, but use <i>only</i> when directed per the vehicle's Workshop Manual or a Technical Service Bulletin (TSB)	Yes, but use <i>only</i> when directed per the vehicle's Workshop Manual or a Technical Service Bulletin (TSB)	Yes, but use <i>only</i> when directed per the vehicle's Workshop Manual or a Technical Service Bulletin (TSB)	
VC-12 - Motorcraft® Specialty Orange				Yes, but for use <i>only</i> with the following vehicles: * 2011 - 2019 (built prior to 7/9/18) diesel engine-equipped F-Series Super Duty * 2016 - 2019 (built prior to 7/16/18) diesel engine-equipped F-650 and F-750	Yes, but only when mixed with Motorcraft® Orange Antifreeze/ Coolant with the following vehicles: * 2011 - 2019 (built prior to 7/9/18) diese engine-equipped F-Series Super Duty * 2016 - 2019 (built prior to 7/16/18) diesel engine-equipped F-650 and F-750	
Engine Coolant Revitalizer	No	No	No	Use <i>only</i> as recommended	Use <i>only</i> as recommended	

Revised 3/11/2020

Quick Reference Charts